

Date: Monday, 18/08/2008 3:40:47 PM
 User: Julie Lecocq

Process Sheet

Customer :	CU-DAR001 Dart Helicopters Services	Drawing Name :	EC 135 SKIDTUBE ASSEMBLY
Job Number :	41333		
Estimate Number :	12472		
P.O. Number :		Part Number :	D135751011
This Issue :	18/08/2008	S.O. No. :	
Prsht Rev. :	NC	Drawing Number :	D3507 UNDER REVIEW <i>PH 08.10.31</i>
First Issue :	//	Project Number :	N/A
Previous Run :	41332	Drawing Revision :	C
	Type :	Material :	
	SKIDTUBES	Due Date :	20/09/2008
Written By :		Qty:	1
Checked & Approved By :	<i>JLD 08.8.18</i>	Um:	Each
Comment :	Est Rev:A 06-06-21 New Issue JLM Est Rev:B 06-12-18 As per Rev B JLM Est Rev:C 07-12-11 ECN 1036 as per revB DD		

Additional Product

Job Number:



Seq. #:	Machine Or Operation:	Description :
----------------	------------------------------	----------------------

1.0	DC	DOCUMENT CONTROL
-----	----	------------------

*JLD 08.9.11***Comment:** DOCUMENT CONTROL

Photocopy bluefile & type labels per PPP D135-751-011 CHG001

5 08/10/30

2.0	D2962150	3.540 Outer Tube, Extrut
-----	----------	--------------------------

**Comment:** Qty.: 1.0000 Each(s)/Unit Total : 1.0000 Each(s)

Pick:

Qty Part Number Description Batch

1 D2962-150 Extrusion *28672**ET 08-08-26*

3.0	SKIDTUBES 1	SKIDTUBESS RESOURCE 1
-----	-------------	-----------------------

**Comment:** LANDING GEAR RESOURCE 1

1-Determine square end of tube and deburr

2-Drill #30 pilot holes using DT8678. Do not open holes.

3- Deburr holes.

ET 08-08-26

4.0	BENDING	BENDING MACHINE - SKIDTUBES
-----	---------	-----------------------------

**Comment:** BENDING MACHINE

Bend tube as per program on CNC Bender and Dwg D3507. Use 5/16" locator pin on buggy "A".

ET 08-08-28

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Date: Monday, 18/08/2008 3:40:47 PM
User: Julie Lecocq

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: EC 135 SKIDTUBE ASSEMBLY

Job Number: 41333

Part Number: D135751011

Job Number:



Seq. #:

Machine Or Operation:

Description :

5.0

SKIDTUBES 1

SKIDTUBESS RESOURCE 1



Comment: LANDING GEAR RESOURCE 1

1-Cut Fwd end of the tube using DT8185 *25 08-08-28*

2-Cut Aft end at VC using DT8185

3-Deburr ends

4-Drill Aft & Fwd Cap holes using DT8678

5-Locate DT8870 & Drill Ground wire hole on top of Tube.

6-Locate DT8870 with 3/16 cleco in Ground wire hole, then Pilot Drill all X-Bolt holes using 3/16" drill. ***DO NOT OPEN AFT CAP HOLES*****

7-Drill pilot holes for wearplates using Dt8868, Use DT8892 FOR REAR WEARPLATE HOLES.

8-Open wearplate holes to Ø19/64" (0.297") as per Dwg D3507.

9-Open Aft & Fwd Cap holes using .208" drill.

10-Bore out aft end of tube as per Dwg D3507 & Detail "B".

11-Deburr holes.

P70

25 08-09-08

6.0

QC5

INSPECT WORK TO CURRENT STEP-



Comment: INSPECT WORK TO CURRENT STEP

5 08/10/09

7.0

HAND FINISHING1

HAND FINISHING RESOURCE #1



Comment: HAND FINISHING RESOURCE #1

Chemical Conversion Coat as per QSI 005 4.1

D 14 8-10-14

8.0

QC3

INSPECT POWDER COAT/CHEMICAL CONVERSION



Comment: INSPECT POWDER COAT/CHEMICAL CONVERSION

25 08-10-15

Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: D135-751-011 PAR #: NA Fault Category: Prod/Skid tube NCR: Yes No DQA: D Date: 08/10/13
 QA: N/C Closed: AG Date: 08/11/04

NCR: <u>41333</u>		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			
08-10-09	5.0	Employee used the holes off of the wear plate drilling DT886B. Holes are to be drilled using DT8892 R.C. Under review & some changes LACK of attention	<u>AS142</u>	Drill the 6 aft wear plate holes with weld, and grind flush & A/R M 109213 Re-drill as per new approved sig DT8892 : per chng.	<u>AS</u> 08/10/10 <u>AS</u> 08/10/09	<u>S</u> <u>08/10/09</u>	<u>AS142</u>	<u>08/16-09</u>

NOTE: Date & initial all entries

Date: Monday, 18/08/2008 3:40:47 PM
User: Julie Lecocq

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: EC 135 SKIDTUBE ASSEMBLY

Job Number: 41333

Part Number: D135751011

Job Number:



Seq. #:

Machine Or Operation:

Description :

9.0

D35043

Crossbolt Spacer



Comment: Qty.: 1.0000 Each(s)/Unit Total : 1.0000 Each(s)

CROSSBOLT SPACER

Batch: B 31232

BE 08/10/21

10.0

D35041

Crossbolt Spacer



Comment: Qty.: 2.0000 Each(s)/Unit Total : 2.0000 Each(s)

CROSSBOLT SPACER

Batch: B 31234

BE 08/10/21

11.0

D35051

Web



Comment: Qty.: 1.0000 Each(s)/Unit Total : 1.0000 Each(s)

WEB

Batch: 42531

2C 08-10-16

12.0

D35061

Doubler



Comment: Qty.: 4.0000 Each(s)/Unit Total : 4.0000 Each(s)

DOUBLER

Batch: B 41605

Jb 8-10-22

13.0

D35063

Doubler



Comment: Qty.: 2.0000 Each(s)/Unit Total : 2.0000 Each(s)

DOUBLER

Batch: B 28964

Jb 8-10-22

14.0

D35045

Crossbolt Spacer



Comment: Qty.: 2.0000 Each(s)/Unit Total : 2.0000 Each(s)

CROSSBOLT SPACER

batch: B 36181

BE 08/10/21

15.0

MS20601AD4W3

Rivet



Comment: Qty.: 12.0000 Each(s)/Unit Total : 12.0000 Each(s)

Rivet

Batch: 107823

Jb 8-10-22

Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Date: Monday, 18/08/2008 3:40:47 PM
User: Julie Lecocq

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: EC 135 SKIDTUBE ASSEMBLY

Job Number: 41333

Part Number: D135751011

Job Number:



Seq. #:

Machine Or Operation:

Description :

16.0

SKIDTUBES 1

SKIDTUBESS RESOURCE 1



Comment: LANDING GEAR RESOURCE 1

1-Open X-Bolt holes to .375"(2Places) & .500"(2Places) as per Dwg D3507. and Detail "F"

2-Counter Sink X-BOLT holes as per Dwg D3507

3-Deburr and blow out chips from inside of tube.

4-Bond web as per Dwg D3507 & QSI 015

A/R 241 Sike Flex Batch: 109338

Exp Date: 8-11-01

BT 08-10-16

5-Weld x-bolt (D3504-1/-3) spacers as per Dwg D3507 and Detail C-C & D-D.

A/R AL ROD Batch: m109213 BE 08-10-21

6-Grind welds flush

7-Drill Rivet Holes as per Dwg D3507 Using Dt8871A&B

8-Deburr Rivet holes.

BT 08-10-15

JD 8-10-22

Tools: E

17.0

QC10

VISUAL INSPECTION OF GROUND WELDS



Comment: VISUAL INSPECTION OF GROUND WELDS

SOB 10/22 (+)

18.0

SKIDTUBES 1

SKIDTUBESS RESOURCE 1



Comment: LANDING GEAR RESOURCE 1

1-Rivet D3506-1/-3 as per Dwg D3507.

JD 8-10-22

19.0

QC5

INSPECT WORK TO CURRENT STEP



Comment: INSPECT WORK TO CURRENT STEP

SOB 10/22 (+)

Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Date: Monday, 18/08/2008 3:40:47 PM
User: Julie Lecocq

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: EC 135 SKIDTUBE ASSEMBLY

Job Number: 41333

Part Number: D135751011

Job Number:



Seq. #:

Machine Or Operation:

Description :

20.0

HAND FINISHING1

HAND FINISHING RESOURCE #1



(1X)

Comment: HAND FINISHING RESOURCE #1

Pressure wash as per QSI 005

M-1

08/10/25

21.0

POWDER COATING

POWDER COATING



(1X)

Comment: POWDER COATING

Powder Coat White Gloss (Ref: 4.3.5.1) as per QSI 005 4.3

START TIME:

OVEN TEMPERATURE:

FINISH TIME:

1:00
3200F
1:30

M-1

08/10/25

22.0

QC3

INSPECT POWDER COAT/CHEMICAL CONVERSION



Comment: INSPECT POWDER COAT/CHEMICAL CONVERSION

08-10-27

(X)

23.0

ALS71032130

Insert



Comment: Qty.: 38.0000 Each(s)/Unit Total: 38.0000 Each(s)

Insert

Batch:

5414
M 109431

Y H

24.0

ALS41032225

Insert



Comment: Qty.: 1.0000 Each(s)/Unit Total: 1.0000 Each(s)

Insert

Batch:

M 100621

H

25.0

HAND FINISHING1

HAND FINISHING RESOURCE #1



Comment: HAND FINISHING RESOURCE #1

Install Wearplate & Ground Wire inserts as per Dwg D3507.

H

08-10-27

(X)

26.0

QC5

INSPECT WORK TO CURRENT STEP



Comment: INSPECT WORK TO CURRENT STEP

Inspect Inserts

S

08/10/27

(X)

Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Date: Monday, 18/08/2008 3:40:47 PM
User: Julie Lecocq

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: EC 135 SKIDTUBE ASSEMBLY

Job Number: 41333

Part Number: D135751011

Job Number:



Seq. #:

Machine Or Operation:

Description :

27.0

AN526C1032R10

Screw



Comment: Qty.: 2.0000 Each(s)/Unit Total : 2.0000 Each(s)
Screw
batch M108062 *jd*

28.0

D29653

Cap



Comment: Qty.: 1.0000 Each(s)/Unit Total : 1.0000 Each(s)
Cap
Batch: B29993 *jd*

29.0

D2965

Cap, 105 Skidtube



Comment: Qty.: 1.0000 Each(s)/Unit Total : 1.0000 Each(s)
Cap
Batch: B341523 *jd*

30.0

D35081

Wearplate



Comment: Qty.: 1.0000 Each(s)/Unit Total : 1.0000 Each(s)
WEARPLATE
Batch: B331195 *jd*

31.0

D35083

Wearplate



Comment: Qty.: 1.0000 Each(s)/Unit Total : 1.0000 Each(s)
WEARPLATE
Batch: B338527 *jd*

32.0

D35085

Wearplate



Comment: Qty.: 1.0000 Each(s)/Unit Total : 1.0000 Each(s)
WEARPLATE
Batch: B331197 *jd*

33.0

D35087

Wearplate



Comment: Qty.: 1.0000 Each(s)/Unit Total : 1.0000 Each(s)
WEARPLATE
Batch: B336179 *jd*

08-10-27

jd

Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Date: Monday, 18/08/2008 3:40:47 PM
User: Julie Lecocq

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: EC 135 SKIDTUBE ASSEMBLY

Job Number: 41333

Part Number: D135751011

Job Number:



Seq. #:

Machine Or Operation:

Description :

34.0

D35581

Gasket



Comment: Qty.: 1.0000 Each(s)/Unit Total : 1.0000 Each(s)

GASKET

Batch: B29998

jd

35.0

D35583

Gasket



Comment: Qty.: 1.0000 Each(s)/Unit Total : 1.0000 Each(s)

GASKET

Batch: B42253

jd

36.0

D35585

Gasket



Comment: Qty.: 1.0000 Each(s)/Unit Total : 1.0000 Each(s)

GASKET

Batch: B3000

jd

37.0

D35587

Gasket



Comment: Qty.: 1.0000 Each(s)/Unit Total : 1.0000 Each(s)

GASKET

Batch: B36388

jd

38.0

D3492041

Plug Assembly



Comment: Qty.: 4.0000 Each(s)/Unit Total : 4.0000 Each(s)

PLUG ASSEMBLY

Batch: B42182

jd

39.0

D3492043

Plug Assembly



Comment: Qty.: 4.0000 Each(s)/Unit Total : 4.0000 Each(s)

PLUG ASSEMBLY

batch B41138

jd

40.0

D3492047

Plug Assembly



Comment: Qty.: 2.0000 Each(s)/Unit Total : 2.0000 Each(s)

PLUG ASSEMBLY

Batch: B325961

jd

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Date: Monday, 18/08/2008 3:40:47 PM
User: Julie Lecocq

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: EC 135 SKIDTUBE ASSEMBLY

Job Number: 41333

Part Number: D135751011

Job Number:



Seq. #:

Machine Or Operation:

Description :

41.0

AN960C10L

washer



Comment: Qty.: 33.0000 Each(s)/Unit Total : 33.0000 Each(s)

Washer

Batch: M1109282

u

42.0

AN3C4A

BOLT



Comment: Qty.: 31.0000 Each(s)/Unit Total : 31.0000 Each(s)

BOLT

Batch: M1109431

u

43.0

AN3C5A

Bolt



Comment: Qty.: 2.0000 Each(s)/Unit Total : 2.0000 Each(s)

Bolt

Batch: M1108928

u

44.0

HAND FINISHING1

HAND FINISHING RESOURCE #1



Comment: HAND FINISHING RESOURCE #1

✓ 1-Inspect for Foreign objects

2-Install Fwd & Aft caps as per Dwg D3507 And Detail "A" & "B"

✓ A/R 241 Sika Flex Batch: M1109449
Exp Date: 08/11

✓ 3-Install Wearplates as per Dwg D3507 ,

Note: Install (1) Bolt and (1) washer on Ground Wire insert on top of tube

Do not Install Scews where indicated on Dwg(Note #6)

✓ A/R 241 Sika Flex Batch: M1109449
Exp Date: 08/11

✓ 4-Install Plug assemblies as per Dwg D3507.

A3507

5- Wing Walk as per Dwg D3043 and QSI 005 4.4

M1109219

u
08-10-22 (X)

Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Date: Monday, 18/08/2008 3:40:47 PM
User: Julie Lecocq

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: EC 135 SKIDTUBE ASSEMBLY

Job Number: 41333

Part Number: D135751011

Job Number:



Seq. #:

Machine Or Operation:

Description :

45.0

QC5

INSPECT WORK TO CURRENT STEP



Comment: INSPECT WORK TO CURRENT STEP

S 08/10/28 (X)

46.0

PACKAGING 1

PACKAGING RESOURCE #1



Comment: PACKAGING RESOURCE #1

Pick Packing Kit

47.0

D35121

Wearplate



Comment: Qty.: 2.0000 Each(s)/Unit Total: 2.0000 Each(s)

WEARPLATE

Batch:

334516360

JS 08/10/28 (X)

48.0

AN960JD10L

Washer



Comment: Qty.: 8.0000 Each(s)/Unit Total: 8.0000 Each(s)

Washer

Batch:

M105793

JS 08/10/28 (X)

49.0

AN3C4A

BOLT



Comment: Qty.: 8.0000 Each(s)/Unit Total: 8.0000 Each(s)

BOLT

BATCH:

M108599

Batch not in comp

JS 08/10/28 (X)

50.0

QC4

INSPECT 100% KITS FOR COMPLETENESS



Comment: INSPECT 100% KITS FOR COMPLETENESS

S 08/10/30 (X)

51.0

PACKAGING 1

PACKAGING RESOURCE #1



Comment: PACKAGING RESOURCE #1

Identify and pack for shipping as per PPP D135-751-011

Location:

PPP Rev:

Rev B

JS 08/10/29 (X)

341333

Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Date: Monday, 18/08/2008 3:40:47 PM
User: Julie Lecocq

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: EC 135 SKIDTUBE ASSEMBLY

Job Number: 41333

Part Number: D135751011

Job Number:



Seq. #:

Machine Or Operation:

Description :

52.0

QC21

FINAL INSPECTION/W/O RELEASE



08/10/31 *[Signature]*

Comment: FINAL INSPECTION/W/O RELEASE

Job Completion



MF 08-10-30

Dart Aerospace Ltd


W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____


QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			


NOTE: Date & initial all entries



D3507-1 BENDING/CUTTING DETAIL



D3507-1 DRILLING DETAIL



Qty	Part Number	Description
X	D3507-041	SKIDTUBE ASSEMBLY
1	D2962-150	EXTRUSION
1	D2965	CAP
1	D2965-3	CAP
4	D3492-041	PLUG ASSEMBLY
4	D3492-043	PLUG ASSEMBLY
2	D3492-047	PLUG ASSEMBLY
2	D3504-1	CROSS BOLT SPACER
1	D3504-3	CROSS BOLT SPACER
2	D3504-5	CROSS BOLT SPACER
1	D3505-1	WEB
4	D3506-1	DOUBLER
2	D3506-3	DOUBLER
1	D3508-1	WEARPLATE
1	D3508-3	WEARPLATE
1	D3508-5	WEARPLATE
1	D3508-7	WEARPLATE
1	D3558-1	GASKET
1	D3558-3	GASKET
1	D3558-5	GASKET
1	D3558-7	GASKET
38	AELS-1032-130	INSERT
1	AELS-1032-225	INSERT
31	AN3C4A	BOLT
2	AN3C5A	BOLT
2	AN526C1032-10	SCREW
33	AN960C10L	WASHER
12	MS20601AD4W3	RIVET

GENERAL NOTES:



- 1) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1 PRIOR TO INSERTING D3505-1 WEB. POWDER COAT ASSEMBLY GLOSS WHITE (REF 4.3.5.1) PER DART QSI 005 4.3. ANTI-SKID PAINT AS INDICATED TO 1.00 ABOVE CENTER LINE PER DART QSI 005 4.4
- 2) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 3) DIMENSIONS: INCHES UNLESS OTHERWISE NOTED
- 4) WELDING TO BE DONE PER DART QSI 004
- 5) INSERT D3505-1 WEB TO LOCATION SHOWN OFF AFT END OF SKIDTUBE AND BOND WEB INTO OUTER TUBE WITH NON-STRUCTURAL SIKAFLEX-241/-291 ADHESIVE PER DART QSI 015 AFTER BENDING
- 6) USE DART DRILL TEMPLATE DT8868 TO LOCATE AND DRILL Ø0.297 HOLES (38 PLACES) FOR WEARSHOE INSERTS. INSTALL AELS-1032-130 PER SECTION C-C (38 PLACES) AFTER FINISH. SEAL WEARPLATE BOLTS WITH SIKAFLEX-241/-291.
- 7) DO NOT INSTALL AN3C4A BOLTS AND AN960C10L WASHERS IN INDICATED LOCATIONS

C	ADD D3504-5, FOR SKID GEAR DEFLECTOR; CHANGE FWD CAP BOLT TO AN526C1032-10 SCREW	DC	07.09.19
B	ADD GASKET, CHANGE HARDWARE MAT'L	PH	06.11.01
A	NEW ISSUE	PH	06.04.21
REV.	DESCRIPTION	BY	DATE
DESIGN	PH	DART AEROSPACE USA, INC PORT HADLOCK, WA	
DRAWN	JTC		
CHECKED	PH		
MFG. APPR.	PH		
APPROVED	PH		
DE APPR.	PH	DRAWING NO. D3507 TITLE EC 135 SKIDTUBE	
DATE	07.09.19	REV. C SHEET 1 OF 2 SCALE NTS	



COPYRIGHT © 2006 BY DART AEROSPACE USA, INC.
THIS DOCUMENT IS UNCLASSIFIED AND IS RELEASED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
NOTICE



WORK ORDER
41333






- AFTER BENDING AND DRILLING ASSEMBLY PERFORM THE FOLLOWING FOR Ø0.500 HOLES ONLY:
1. CHAMFER HOLE 0.030 x 45°
 2. INSERT D3504-1 CROSS BOLT SPACER (2 PLACES)
 3. WELD INTO PLACE AND GRIND FLUSH
 4. IF REQUIRED, PASS Ø0.404 (1/8" DRILL) THRU HOLE
 5. INSTALL D3506-1 DOUBLER (4 PLACES) USING MS20601AD4W3 RIVET (8 PLACES)
 6. AFTER FINISH, INSTALL D3492-041 PLUG ASSEMBLY (4 PLACES)



- AFTER BENDING AND DRILLING ASSEMBLY PERFORM THE FOLLOWING FOR Ø0.375 HOLES ONLY:
1. CHAMFER HOLE 0.030 x 45°
 2. INSERT D3504-3 CROSS BOLT SPACER (1 PLACES)
 3. WELD INTO PLACE AND GRIND FLUSH
 4. IF REQUIRED, PASS Ø0.277 (1/8" DRILL) THRU HOLE
 5. INSTALL D3506-3 DOUBLER (2 PLACES) USING MS20601AD4W3 RIVET (4 PLACES)
 6. AFTER FINISH, INSTALL D3492-047 PLUG ASSEMBLY (2 PLACES)



- AFTER BENDING AND DRILLING PERFORM THE FOLLOWING FOR Ø0.750 HOLES ONLY:
1. CHAMFER HOLE 0.030 x 45°
 2. INSERT D3504-5 CROSS BOLT SPACER (2 PLACES)
 3. WELD INTO PLACE AND GRIND FLUSH
 4. IF REQUIRED, PASS Ø0.594 (19/32 DRILL) THRU HOLE
 5. AFTER FINISH, INSTALL D3492-043 PLUG ASSEMBLY (4 PLACES)



RELEASED
07-11-19

DESIGN	PH	DART AEROSPACE USA, INC	
DRAWN	SC	PORT HADLOCK, WA	
CHECKED	SC	DRAWING NO.	REV. C
MFG. APPR.	SC	D3507	SHEET 2 OF 2
APPROVED	PH	TITLE	SCALE
DE APPR.	PH	EC 135 SKIDTUBE	1:20
DATE	07.09.19	COPYRIGHT © 2006 BY DART AEROSPACE USA, INC THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.	

NO. 11333
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
ENGINEERING
RETURN TO
SHIP COPY
WORK ORDER

NO. 179

AWS D17.1.2001
QUALIFICATION TEST RECORD

Name: Barclay Elliot
Job number: B41333
Part number: A135751011
Description: SKID tube
Welding Process: Tig[☒] Mig[]
Base material: Alum.
Current: AC[☒] DC[]

TEST REQUIREMENTS AND RESULTS

Visual: pass[☒] fail[]
Penetration: pass[☒] fail[]

UNACCEPTABLE

Cracks: pass[] fail[]
Undercut: pass[☒] fail[]
Pin holes: pass[☒] fail[]
Overlap (cold lap): pass[] fail[]
Porosity (surface): pass[☒] fail[]
Coloration: pass[☒] fail[]

Qualifier David Lynch Date of Test Coupon 08/10/22

Welder Barclay Elliot Date of Test Coupon 08/10/22

The above named individual is qualified in accordance with AWS D17.1.2001 to weld